



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/827,288	04/20/2004	Kazuo Sakamoto	XA-10084	2625
181 7590 03/07/2007 MILES & STOCKBRIDGE PC 1751 PINNACLE DRIVE SUITE 500 MCLEAN, VA 22102-3833			EXAMINER RAHMAN, FAHMIDA	
			ART UNIT	PAPER NUMBER

2116

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
3 MONTHS	03/07/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Office Action Summary

Application No.

10/827,288

Applicant(s)

SAKAMOTO ET AL.

Examiner

Fahmida Rahman

Art Unit

2116

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 14 December 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-11 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-11 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 20 April 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

1. This final action is in response to communications filed on 12/14/2006.
2. Claims 1, 3-11 have been amended, no claim has been added, no claim has been canceled. Thus, claims 1-11 are pending.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1, 4, 5, 6, 9, 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Schaefer (US Patent Application Publication 2005/0243635).

For claim 1, Schaefer teaches the following limitations:

A data processing device (140, 120, 122, 124 in Fig 1) formed as a semiconductor integrated circuit, which is coupled to a device (112) for performing data transmission and reception (112 is a memory that transmits and receives data), said data processing device comprising:

a central processing unit (140);

an interface unit (200 and the clock distribution network to DQ buffers) for data transmission and reception to and from the external device, wherein said interface unit includes:

Art Unit: 2116

an external terminal (terminal for CLKD in Fig 2) for outputting a clock signal;

an output driver for driving said external terminal to output said clock signal (the wires connecting CLKD to 212a-212i in Fig 2 form clock distribution network and can be considered as output driver as the network is driving the terminal to provide clock to DQ buffers);

a load circuit (210, 204, 206, 208) capable of imparting, to the clock signal (202) extracted from a position in a stage previous to output driver in a clock signal path (210 extracting signal just before CLKD in Fig 2), a variable delay ([0005] mentions that delay compensation circuit compensate for variations in process temperature, loading conditions. Thus, circuitry within 200 incorporates a variable delay) in accordance with a delay (delay = B) resulting from an external load (DQ buffers shown in 212a-212i) coupled to external terminal in order to generate a delayed clock signal (CLKD is a delayed signal) for latching data inputted from the external device (CLKD is applied to C input of buffers and data D is latched to 213a-213i from 212a-212i, 213a-213i).

Although 112, a DRAM memory ([0013]), is shown within 110, it can be placed as an external unit as DRAM can be a stand alone device in an integrated circuit. One ordinary skill would be motivated to use 112 as an external device as it provides the modular design.

For claim 4, Schaefer teaches the following limitations:

Art Unit: 2116

A data processing device (140, 120, 122, 124 in Fig 1) formed as a semiconductor integrated circuit, which is coupled to a memory device (112) for performing data transmission and reception (112 is a memory that transmits and receives data and controller 120 controls operation of memory; [0013]), said data processing device comprising:

a central processing unit (140); a clock pulse generation circuit capable of generating different clock pulse signals (510 in Fig 5b shows the pulses of clock. Therefore, there is clock generation circuit); and an interface unit (200 and the clock distribution network to DQ buffers) for data transmission and reception to and from the external memory device ([0014] mentions that delay compensation circuit is for use with memory), wherein said interface unit includes:

a first external terminal (terminal for CLKD in Fig 2) for outputting a clock signal (CLKD) derived from a clock pulse signal (202) generated by the clock pulse generation circuit; an output driver for driving said first external terminal to output said clock signal (the wires connecting CLKD to 212a-212i in Fig 2 form clock distribution network and can be considered as output driver as the network is driving the terminal to provide clock to DQ buffers); and

a load circuit (210, 204, 206, 208) capable of imparting, to the clock signal extracted from a position in a stage previous to said output driver in a clock signal path (210 extracting signal just before CLKD in Fig 2), a variable delay ([0005] mentions that delay compensation circuit compensate for variations in process temperature, loading conditions. Thus, circuitry within 200 incorporates a variable delay) in accordance with a

Art Unit: 2116

delay (delay = B) resulting from an external load (DQ buffers shown in 212a-212i, 213a-213i) coupled to said first external terminal.

Although 112, a DRAM memory ([0013]), is shown within 110, it can be placed as an external unit as DRAM can be a stand alone device in an integrated circuit. One ordinary skill would be motivated to use 112 as an external device as it provides the modular design.

For claim 5, 212a-212i, part of DQ buffers (explained in [0005]), comprises latch circuits for receiving data through external terminals D0-D1 from memory array, which are clocked by clock signal as delayed by load circuit to latch the data.

For claim 6, Schaefer does not teach operating certain part of the circuit with one voltage and operating another part with second voltage. Examiner takes an official notice that operating one part of the circuit with one voltage that is different from another voltage operating on another part is well known in the art. One ordinary skill in the art would be motivated to have two operating voltages in different area of the same circuit to save power consumption.

For claim 9, 207 of Schaefer comprises a selector circuit to selectively pass the external clock signal through the appropriate delay components ([0015]), which can be though as time constant circuits, to latch the data from the memory.

For claim 10, 400 is the register that determines power control mode ([0024]). 207 effects that power saving mode ([0015]). Thus, the circuit comprises a register to store the value for the selector and a decoder necessary to generate the control signals for the selector in accordance with the set value.

4. Claims 2, 3, 7 and 8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Schaefer (US Patent Application Publication 2005/0243635), in view of Grossnickle et al (US Patent Application Publication 2004/0064749).

For claims 2, 3, 7 and 8, Schaefer does not teach that the load circuit is a time constant circuit comprising resistors and capacitors.

Grossnickle et al teach the delay circuit comprising resistors (P1301) and capacitors (CAP0-CAP3). Fig 3 shows the delay circuit comprising time constant circuits for generating signals with different amounts of delay. Grossnickle et al generate plurality of clock signals with different amount of delay ([0027] mentions that clock generators and delay lock loops use delay elements to manipulate clock edges. Thus, clock generators, DLLs generate plurality of delayed clock signals). Clock signals are typically used to latch data in memory, buffers, registers and other storage units, where any of the clock signals generated from clock generators, DLL, PLL can be selected for latching data inputted from external device.

It would have been obvious for an ordinary skill in the art at the time the invention was made to combine the teachings of Schaefer and Grossnickle. One ordinary skill in the art would be motivated to have the time constant circuits as taught by Grossnickle in the system of Schaefer to tune the delay settings.

5. Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Schaefer (US Patent Application Publication 2005/0243635), in view of Strub et al (US Patent Application Publication 2004/0156616).

For claim 11, Schaefer teaches the data processing device as stated above. In addition, Schaefer teaches memory array 112 coupled to data processing device that performs data transmission and reception based on clock signal outputted from external terminal of said data signal. However, Schaefer does not teach any non-volatile storage as 112 is a DDR ([0013]).

Strub et al teach a non-volatile storage device that is controlled by DDR ([0141] of page 18). Therefore, non-volatile storage is based on DDR, which in turn based on clock signal outputted from external terminal of said data processing device. Thus, non-volatile storage is based on clock signal outputted from external terminal of said data processing device.

Art Unit: 2116

It would have been obvious for one ordinary skill in the art at the time the invention was made to combine the teachings of Schaefer and Strub et al. One ordinary skill would be motivated to control non-volatile through DDR, since that can effect in power saving ([0141] in Strub et al).

Response to Arguments

Applicant's arguments have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a).

Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action. Any inquiry concerning this communication or earlier communications from the examiner should be directed to

Art Unit: 2116

Fahmida Rahman whose telephone number is 571-272-8159. The examiner can normally be reached on Monday through Friday 8:30 - 5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rehana Perveen can be reached on 571-272-3676. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Fahmida Rahman
Examiner
Art Unit 2116



THUAN DU
PRIMARY EXAMINER